

## 1. Install Postman

- <https://www.getpostman.com/>

## 2. Request your favourite website

## 3. Run these requests with Postman:

- - **Method:** GET
  - **URL:** <https://jsonplaceholder.typicode.com/posts>
- - **Method:** GET
  - **URL:** <https://jsonplaceholder.typicode.com/posts>
- - **Method:** GET
  - **URL:** <https://jsonplaceholder.typicode.com/posts/{id}>
- - **Method:** GET
  - **URL:** <https://jsonplaceholder.typicode.com/posts/{id}/comments>
- - **Method:** GET
  - **URL:** <https://jsonplaceholder.typicode.com/comments?postId={id}>
- - **Method:** GET
  - **URL:** <https://jsonplaceholder.typicode.com/posts?userId={id}>
- - **Method:** POST
  - **URL:** <https://jsonplaceholder.typicode.com/posts>
  - **Body:**

```
1. {
2.     "title": "foo",
3.     "body": "bar",
4.     "userId": 1
5. }
```

- **Headers:**

```
1. {
2.     "Content-type": "application/json; charset=UTF-8"
3. }
```

•

- **Method:** PUT

- **URL:** <https://jsonplaceholder.typicode.com/posts/{id}>

- **Body:**

```
1. {
2.     "id": 1,
3.     "title": "foo",
4.     "body": "bar",
5.     "userId": 1
6. }
```

- **Headers:**

```
1. {
2.     "Content-type": "application/json; charset=UTF-8"
3. }
```

•

- **Method:** PATCH

- **URL:** <https://jsonplaceholder.typicode.com/posts/{id}>

- **Body:**

1. {
2. "title": "foo",
3. }

- **Headers:**

1. {
2. "Content-type": "application/json; charset=UTF-8"
3. }

•

- **Method:** DELETE

- **URL:** <https://jsonplaceholder.typicode.com/posts/{id}>