

MTAT.03.094

Software Engineering

Lecture 08: Refactoring

Fall 2013



UNIVERSITY OF TARTU

INSTITUTE OF COMPUTER SCIENCE

Dietmar Pfahl

email: dietmar.pfahl@ut.ee

Schedule of Lectures

Week 01: Introduction to SE

Week 02: Requirements Engineering I

Week 03: Requirements Engineering II

Week 04: Analysis

Week 05: Development Infrastructure I

Week 06: Development Infrastructure II

Week 07: Architecture and Design

Week 08: Refactoring

Week 09: Quality Management

Week 10: Verification and Validation
(incl. SW Quality)

Week 11: Agile/Lean Methods

Week 12: Measurement

Week 13: Process Improvement

Week 14: Course wrap-up, review and
exam preparation

Week 15: no lecture

Week 16: no lecture

Structure of Lecture 08

- What is it and why do it?
- Examples



Refactoring

- Refactoring is:
 - restructuring (re-arranging) code in a series of small, semantics-preserving transformations (i.e. the code keeps working) in order to make the code easier to maintain and modify
- Refactoring is not just arbitrary restructuring
 - Code must still work
 - Small steps only so the semantics are preserved (i.e. not a major re-write)
 - Unit tests to prove the code still works
 - Code is
 - More loosely coupled
 - More cohesive modules
 - More comprehensible
- There are numerous well-known refactoring techniques
 - You should be at least somewhat familiar with these before inventing your own
 - Refactoring “catalog”

When to Refactor

- You should refactor:
 - Any time that you see a better way to do things
 - “Better” means making the code easier to understand and to modify in the future
 - You can do so without breaking the code
 - Unit tests are essential for this
- You should not refactor:
 - Stable code that won't need to change
 - Someone else's code
 - Unless the other person agrees to it or it belongs to you
 - Not an issue in Agile Programming since code is communal

Where did refactoring come from?

- Ward Cunningham and Kent Beck influential people in Smalltalk
 - Kent Beck – responsible for Extreme Programming
 - Ralph Johnson a professor at U of Illinois and part of “Gang of Four”
 - Bill Opdyke – Ralph’s Doctoral Student
- **Martin Fowler** - <http://www.refactoring.com/>
 - Refactoring = Improving The Design Of Existing Code

Back to Refactoring

- When should you refactor?
 - Any time you find that you can improve the design of existing code
 - You detect a “bad smell” (an indication that something is wrong) in the code
- When can you refactor?
 - You should be in a supportive environment (agile programming team, or doing your own work)
 - You are familiar with common refactorings
 - Refactoring tools also help
 - You should have an adequate set of unit tests

Code Smells

- If it 'stinks', change it
 - Code that can make the design harder to change
- Examples:
 - Duplicate code
 - Long methods
 - Big classes
 - Big switch statements
 - Long navigations (e.g., a.b().c().d())
 - Lots of checking for null objects
 - Un-encapsulated fields (public member variables)
 - Data clumps (e.g., a Contact class that has fields for address, phone, email etc.) - similar to non-normalized tables in relational design
 - Data classes (classes that have mainly fields/properties and little or no methods)

Structure of Lecture 08

- What is it and why do it?
- Examples



Refactoring Process

- Make a small change at a time
 - a single refactoring
- Run all the tests to ensure everything still works
- If everything works, move on to the next refactoring
- If not, fix the problem, or undo the change, so you still have a working system

Introductory Example

by

Martin Fowler

(saprte PDF on course wiki)

Example 1: switch statements

- **switch** statements are very rare in properly designed object-oriented code
 - Therefore, a **switch** statement is a simple and easily detected “bad smell”
 - Of course, not all uses of **switch** are bad
 - A switch statement should *not* be used to distinguish between various kinds of objects (object types)
- There are several well-defined refactorings for this case
 - The simplest is the creation of subclasses

Example 1, continued

```
class Animal {  
    final int MAMMAL = 0, BIRD = 1, REPTILE = 2;  
    int myKind; // set in constructor  
    ...  
    String getSkin() {  
        switch (myKind) {  
            case MAMMAL: return "hair";  
            case BIRD: return "feathers";  
            case REPTILE: return "scales";  
            default: return "skin";  
        }  
    }  
}
```

Example 1, improved

```
class Animal {  
    String getSkin() { return "skin"; }  
}  
class Mammal extends Animal {  
    String getSkin() { return "hair"; }  
}  
class Bird extends Animal {  
    String getSkin() { return "feathers"; }  
}  
class Reptile extends Animal {  
    String getSkin() { return "scales"; }  
}
```

How is this an improvement?


- Adding a new animal type, such as **Amphibian**, does not require revising and recompiling existing code
- Mammals, birds, and reptiles are likely to differ in other ways, and we've already separated them out (so we won't need more switch statements)
- We've gotten rid of the flags we needed to tell one kind of animal from another
- We're now using Objects the way they were meant to be used

Example 2: Encapsulate Field

- Un-encapsulated data is a no-no in OO application design.
- Use properly get and set procedures to provide public access to private (encapsulated) member variables.

```
public class Course
{
    public List students;
}
```

```
int classSize = course.students.size();
```




```
public class Course
{
    private List students;
    public List getStudents()
    {
        return students;
    }
    public void setStudents(List s)
    {
        students = s;
    }
}
```

```
int classSize = course.getStudents().size();
```


3. Extract Class

- Break one class into two, e.g. having the phone details as part of the Customer class is not a realistic OO model, and also breaks the Single Responsibility design principle.
- We can refactor this into two separate classes, each with the appropriate responsibility.

```
public class Customer
{
    private String name;
    private String workPhoneAreaCode;
    private String workPhoneNumber;
}
```



```
public class Customer
{
    private String name;
    private Phone workPhone;
}

public class Phone
{
    private String areaCode;
    private String number;
}
```

4. Extract Interface


- Extract an interface from a class. Some clients may need to know a Customer's name, while others may only need to know that certain objects can be serialized to XML. Having toXml() as part of the Customer interface breaks the Interface Segregation design principle which tells us that it's better to have more specialized interfaces than to have one multi-purpose interface.

```
public class Customer
{
    private String name;

    public String getName(){ return name; }

    public void setName(String string)
    { name = string; }

    public String toXML()
    { return "<Customer><Name>" +
      name + "</Name></Customer>";
    }
}
```



```
public class Customer implements SerXML
{
    private String name;

    public String getName(){ return name; }

    public void setName(String string)
    { name = string; }

    public String toXML()
    { return "<Customer><Name>" +
      name + "</Name></Customer>";
    }
}
```

```
public interface SerXml {
    public abstract String toXML();
}
```

4. Extract Interface

Example by Fowler:

- A timesheet class generates charges for employees. In order to do this the timesheet needs to know the employee's rate and whether the employee has a special skill:

```
double charge(Employee emp, int days) {
    int base = emp.getRate() * days;
    if (emp.hasSpecialSkill())
        return base * 1.05;
    else return base;
}
```

- Employee has many other aspects to it than the charge rate and the special skill information, but those are the only pieces that this application needs. I can highlight the fact that I need only this subset by defining an interface for it:

```
interface Billable {
    public int getRate();
    public boolean hasSpecialSkill();
}
```

- I then declare the employee as implementing the interface:

```
class Employee implements Billable ...
```


- With that done I can change the declaration of charge to show only this part of the employee's behavior is used:

```
double charge(Billable emp, int days) {
    int base = emp.getRate() * days;
    if (emp.hasSpecialSkill())
        return base * 1.05;
    else return base;
}
```

- At the moment the gain is a modest gain in documentability. Such a gain would not be worthwhile for one method, but if several classes were to use the billable interface on person, that would be useful. The big gain appears when I want to bill computers too. To make them billable I know that all I have to do is implement the billable interface and I can put computers on timesheets.

4. Extract Interface


Example by Fowler:



5. Extract Method

- Sometimes we have methods that do too much. The more code in a single method, the harder it is to understand and get right. It also means that logic embedded in that method cannot be reused elsewhere.
- The Extract Method refactoring is one of the most useful for reducing the amount of duplication in code.

```
public class Customer
{
    void int foo()
    {
        ...
        // Compute score
        score = a*b+c;
        score *= xfactor;
    }
}
```




```
public class Customer
{
    void int foo()
    {
        ...
        score = ComputeScore(a,b,c,xfactor);
    }

    int ComputeScore(int a, int b, int c, int x)
    {
        return (a*b+c)*x;
    }
}
```

6. Extract Sub-Class

- When a class has features (attributes and methods) that would only be useful in specialized instances, we can create a specialization of that class and give it those features. This makes the original class less specialized (i.e., more abstract), and good design is about binding to abstractions wherever possible.

```
public class Person
{
    private String name;
    private String jobTitle;
}
```



```
public class Person
{
    protected String name;
}


public class Employee extends Person
{
    private String jobTitle;
}
```

7. Extract Super-Class

- When you find two or more classes that share common features, consider abstracting those shared features into a super-class.
- Again, this makes it easier to bind clients to an abstraction, and removes duplicate code from the original classes.

```
public class Employee
{
    private String name;
    private String jobTitle;
}

public class Student
{
    private String name;
    private Course course;
}
```



```
public abstract class Person
{
    protected String name;
}

public class Employee extends Person
{
    private String jobTitle;
}

public class Student extends Person
{
    private Course course;
}
```

8. Form Template Method - Before

- When you find two methods in subclasses that perform the same steps, but do different things in each step, create methods for those steps with the same signature and move the original method into the base class

```
public abstract class Party { }

public class Person extends Party
{
    private String firstName;
    private String lastName;
    private Date dob;
    private String nationality;
    public void printNameAndDetails()
    {
        System.out.println("Name: " + firstName + " " + lastName);
        System.out.println("DOB: " + dob.toString() + ", Nationality: " + nationality);
    }
}

public class Company extends Party
{
    private String name;
    private String companyType;
    private Date incorporated;
    public void PrintNameAndDetails()
    {
        System.out.println("Name: " + name + " " + companyType);
        System.out.println("Incorporated: " + incorporated.toString());
    }
}
```


Form Template Method – Refactored

```
public abstract class Party
{
    public void PrintNameAndDetails()
    {
        printName();
        printDetails();
    }
    public abstract void printName();
    public abstract void printDetails();
}

public class Person extends Party
{
    private String firstName;
    private String lastName;
    private Date dob;
    private String nationality;
    public void printDetails()
    {
        System.out.println("DOB: " + dob.toString() + ", Nationality: " + nationality);
    }
    public void printName()
    {
        System.out.println("Name: " + firstName + " " + lastName);
    }
}

public class Company extends Party
{
    private String name;
    private String companyType;
    private Date incorporated;
    public void printDetails()
    {
        System.out.println("Incorporated: " + incorporated.toString());
    }
    public void printName()
    {
        System.out.println("Name: " + name + " " + companyType);
    }
}
```

Form Template Method


Example by Fowler

Situation:

- You have two methods in subclasses that perform similar steps in the same order, yet the steps are different.

Refactoring:

- Get the steps into methods with the same signature, so that the original methods become the same.
- Then you can pull them up.



9. Move Method - Before

- If a method on one class uses (or is used by) another class more than the class on which its defined, move it to the other class

```
public class Student
{
    public boolean isTaking(Course course)
    {
        return (course.getStudents().contains(this));
    }
}

public class Course
{
    private List students;
    public List getStudents()
    {
        return students;
    }
}
```

Move Method – Refactored

- The student class now no longer needs to know about the Course interface, and the `isTaking()` method is closer to the data on which it relies - making the design of Course more cohesive and the overall design more loosely coupled

```
public class Student
{
}


public class Course
{
    private List students;
    public boolean isTaking(Student student)
    {
        return students.contains(student);
    }
}
```

10. Introduce Null Object

- If relying on null for default behavior, use inheritance instead
- Replace the null value with a null object

```
public class User
{
    Plan getPlan()
    {
        return plan;
    }
}
```

```
if (user == null)
    plan = Plan.basic();
else
    plan = user.getPlan();
```




```
public class User
{
    Plan getPlan()
    {
        return plan;
    }
}

public class NullUser extends User
{
    Plan getPlan()
    {
        return Plan.basic();
    }
}
```

11. Replace Error Code with Exception

- A method returns a special code to indicate an error is better accomplished with an Exception.

```
int withdraw(int amount)
{
    if (amount > balance)
        return -1;
    else {
        balance -= amount;
        return 0;
    }
}
```



```
void withdraw(int amount)
    throws BalanceException
{
    if (amount > balance)
    {
        throw new BalanceException();
    }
    balance -= amount;
}
```

12. Replace Exception with Test

- Conversely, if you are catching an exception that could be handled by an if-statement, use that instead.

```
double getValueForPeriod (int periodNumber)
{
  try
  {
    return values[periodNumber];
  }
  catch (ArrayIndexOutOfBoundsException e)
  {
    return 0;
  }
}
```



```
double getValueForPeriod (int periodNumber)
{
  if (periodNumber >= values.length) return 0;
  return values[periodNumber];
}
```

13. Nested Conditional with Guard

- A method has conditional behavior that does not make clear what the normal path of execution is. Use Guard Clauses for all the special cases.

```
double getPayAmount() {
    double result;
    if (isDead) result = deadAmount();
    else {
        if (isSeparated) result = separatedAmount();
        else {
            if (isRetired) result = retiredAmount();
            else result = normalPayAmount();
        }
    }
    return result;
}
```


```
double getPayAmount() {
    if (isDead) return deadAmount();
    if (isSeparated) return separatedAmount();
    if (isRetired) return retiredAmount();
    return normalPayAmount();
};
```



14. Replace Parameter with Explicit Method

- You have a method that runs different code depending on the values of an enumerated parameter. Create a separate method for each value of the parameter.

```
void setValue (String name, int value) {  
    if (name.equals("height")) {  
        height = value;  
        return;  
    }  
    if (name.equals("width")) {  
        width = value;  
        return;  
    }  
    Assert.shouldNeverReachHere();  
}
```



```
void setHeight(int arg)  
{  
    height = arg;  
}  
  
void setWidth (int arg)  
{  
    width = arg;  
}
```

15. Replace Temp with Query

- You are using a temporary variable to hold the result of an expression. Extract the expression into a method. Replace all references to the temp with the expression. The new method can then be used in other methods and allows for other refactorings.

```
double basePrice = quantity * itemPrice;
if (basePrice > 1000)
    return basePrice * 0.95;
else
    return basePrice * 0.98;
```


```
    if (basePrice() > 1000)
        return basePrice() * 0.95;
    else
        return basePrice() * 0.98;
...
double basePrice() {
    return quantity * itemPrice;
}
```



16. Rename Variable or Method

- Perhaps one of the simplest, but one of the most useful that bears repeating: If the name of a method or variable does not reveal its purpose then change the name of the method or variable.

```
public class Customer
{
    public double getinvcdtlmt();
}
```



```
public class Customer
{
    public double getInvoiceCreditLimit();
}
```

More on Refactoring

- Refactoring Catalog
 - <http://www.refactoring.com/catalog>
- Java Refactoring Tools
 - NetBeans 4+ – Built In
 - JFactor – works with VisualAge and JBuilder
 - RefactorIt – plug-in tool for NetBeans, Forte, JBuilder and JDeveloper. Also works standalone.
 - JRefactory – for jEdit, NetBeans, JBuilder or standalone
- Visual Studio 2005+
 - Refactoring Built In
 - Encapsulate Field, Extract Method, Extract Interface, Reorder Parameters, Remove Parameter, Promote Local Var to Parameter, more.

Further Reading

- Martin Fowler: Refactoring, 2005
- <http://refactoring.com/catalog/>

Next Lecture

- Date/Time:
 - Friday, 01-Nov, 10:15-12:00
- Topic:
 - Quality Management by Kerli Rungi, Playtech
- For you to do:
 - Finish Lab Task 4 and submit solutions in time!